



## CUSTOMER ALERT NOTICE

### FOOTBALL GOALS

During the summer of 2018, the European Standards Committee (CEN Committee) introduced a newly developed standard for football goals. **BS EN 16579** specifies the safety requirements, test methods and functional requirements for all types of portable and permanent socketed goals, representing the most significant changes in goal post safety in recent times.

Replacing BS 8462:2012 and BS 8461:2012, the new European standard applies to playing field goals used for competition, training and recreational play for indoors or outdoors, including educational establishments and public recreational areas. For the first time ever, the new **BS EN 16579** standard includes safety requirements to regulate rugby posts.

#### What products are affected?

The standard will relate to all football goals weighing more than 10kg (excluding full size and 5m x 2m goals over 42kg, as these are covered by BS EN 748).

Safety standards for rugby and Gaelic posts are included, the first standard to provide regulations.

#### Among the changes are:

- Introducing new categories of goals with an overall weight less than 42kg, which includes a full-size football goal that meets this requirement.
- Remove the risk of finger entrapment from the goal and crushing or shearing from moving parts.
- Reducing the maximum net mesh size for football nets to 100mm from 120mm to remove the risk of head entrapment.

#### What is covered in BS EN 16579:2018?

- Strength and stability requirements and test methods.
- Test methods for head and neck entrapment.
- Installation of sockets in permanent fixed foundations.
- Guidelines for providing safe assembly, installation, maintenance, transportation and storage instructions.

#### What about your current goals?

Goals conforming to the now withdrawn BS 8462 standard are still considered to be good and safe by the Football Association's and can continue to be used until they need replacing in time through natural wear and tear.

#### What needs to happen now as an operator of a sports facility?

Nothing. All Universal Services goals in the market place are safe and conform to the old standard. The FA's take on previous purchased goals is, there is no reason to replace old standard with new. There will be a transitional period for manufacturers to make the necessary changes for the new standard.





## 1 SOCKETED ROUND STEEL HEAVY DUTY FOOTBALL GOAL POSTS

**FBL1001\***

**£701.79 pair**

Senior size goal posts 24' x 8' (7.32m x 2.44m) suitable for youth/adult (U15+) use, manufactured from 76mm diameter tubular steel. Items supplied are four uprights, two crossbars, net hooks for crossbar, four steel ground sockets. All powder coated in white. Nets and net supports sold separately, see below

**FBL1009\***

World cup standard net, 4mm white twine for 24' x 8' goals

**£106.24 pair**

**FBL1010\***

Wembley standard net, 3mm white twine, 120mm mesh for 24' x 8' goals

**£116.48 pair**

**FBL1011\***

Club standard net, 2.5mm white twine, 120mm mesh for 24' x 8' goals

**£83.64 pair**

**FBL1078\***

Junior size goal posts 21' x 7' (6.4m x 2.13m) suitable for youth (U13-U14) use

**£656.08 pair**

**FBL1059\***

Junior nets, 2.5mm white twine, 120mm mesh for 21' x 7' goals

**£86.00 pair**



## 2 NET SUPPORTS For Steel Goal Posts Only

Suitable for heavy duty and anti-vandal football goal posts

**A FBL1014\***

**£88.18 set**

Tubular steel continental safety net supports (set of 4)

**B FBL1017\***

**£167.50 set**

Heavyweight international net supports for senior goals only (set of 4)

To conform to BSEN and FA guidelines all freestanding goals must be anchored/weighted regardless of their size.

Also all socketed models should have sockets that are concreted in. These goals only conform to the standards when properly anchored.

For further details please contact our sales office on +44 (0)1621 868700 or refer to the relevant standards. SEE PAGE 84 FOR SAFETY ADVICE.





## 1 PORTABLE STEEL FOOTBALL GOAL POSTS

**FBL1002\***

**£955.04 pair**

Senior size goals 24' x 8' (7.32m x 2.44m) suitable for youth/adult (U15+) use, powder coated in white. Uprights and crossbars constructed from steel, run back is 50mm square steel, backbars are 40mm square steel and the net supports are 34mm OD steel. Two goals supplied are complete with international net supports, base frame and net hooks for crossbar

**FBL1009\***

World cup standard net, 4mm white twine for 24' x 8' goals

**£106.24 pair**

**FBL1010\***

Wembley standard net, 3mm white twine, 120mm mesh for 24' x 8' goals

**£116.48 pair**

**FBL1011\***

Club standard net, 2.5mm white twine, 120mm mesh for 24' x 8' goals

**£83.64 pair**

**FBL1055\***

Junior size goals 21' x 7' (6.4m x 2.13m) suitable for youth (U13-U14) use

**£911.72 pair**

**FBL1059\***

Junior nets, 2.5mm white twine, 120mm mesh for 21' x 7' goals

**£86.00 pair**

**FBL1003\***

Set of four flip over pneumatic wheels complete with BZP coated brackets

**£215.47 set of 4**



## 2 PORTABLE ALUMINIUM FOOTBALL GOAL POSTS

**FBL1007\***

**£2,219.48 pair**

Senior size goals 24' x 8' (7.32m x 2.44m) suitable for youth/adult (U15+) use, manufactured from 102mm x 112mm x 2.2mm thick reinforced aluminium, international net supports and horizontal crossbar braces manufactured from 31.8mm diameter x 1.5mm thick galvanized steel. The welded crossbar/upright corner joints provide added strength and aesthetic appearance. The goals come complete with 200 unique lock-on synthetic net hooks, stainless steel bolts and four "U" peg grass anchors

**FBL1119\***

**£193.07 pair**

Nets for senior size portable aluminium football goals, 4mm twine, with a 2.44m runback for 24' x 8' goals

**FBL1084\***

**£2,262.54 pair**

Junior size goals as above but 21' x 7' (6.4m x 2.13m) suitable for youth (U13-U14) use

**FBL1120\***

**£193.07 pair**

Nets for junior size portable aluminium football goals, 4mm twine, with a 2.44m runback for 21' x 7' goals

**A FBL1103\***

**£648.25 set**

Set of 8 flip over wheels which once engaged mean the goals can be safely moved by four adults. Manufactured from 260mm diameter cellular rubber wheels complete with zinc plated steel bracket that bolts to the bottom side bar. The wheels are puncture proof and do not require inflating, they are also extra wide for better weight distribution




To conform to BSEN and FA guidelines all freestanding goals must be anchored/weighted regardless of their size.

Also all socketed models should have sockets that are concreted in. These goals only conform to the standards when properly anchored.

**For further details please contact our sales office on +44 (0)1621 868700 or refer to the relevant standards. SEE PAGE 84 FOR SAFETY ADVICE.**





## 1 ALUMINIUM SOCKETED FOOTBALL GOAL POSTS

**FBL1004\*** **£1,235.38 pair**

Manufactured from aluminium and features fully welded corner joints, each upright features an adjustable foot allowing exact goal height to be achieved even after a pitch has been top dressed or re-laid. The lock-on net hooks make net attachment easy whilst the socket wedges ensure the goals stay firmly in place. Uprights and crossbars are manufactured from 102mm x 112mm x 2.2mm thick elliptical reinforced aluminium, the zinc plated steel fixing plate incorporates a corner net clamp. Goals are polyester powder coated white. 460mm deep elliptical sockets complete with drop-in socket lids and wedges for holding posts firmly in the socket. 210 lock-on synthetic net hooks and stainless steel bolts provided throughout. These goals are used at venues such as Wembley, The Emirates Stadium, Croke Park and many Premiership and Championship clubs. Senior size goals 24' x 8' (7.32m x 2.44m) suitable for youth/adult (U15+) use

**FBL1114\*** **£375.45 pair**

UEFA regulation net, 1.8m deep square box shape, 4mm braided polyethylene, senior size 24' x 8' (7.32m x 2.44m)

**A FBL1005\*** **£686.72 set**

UEFA/FIFA regulation net supports designed to suspend the net and eliminate rebounds, 80mm diameter x 2.5mm thick aluminium, powder coated green. Complete with ratchet winch, net tensioner webbing straps and 350mm ground sockets, set of 4

**B FBL1117\*** **£340.17 pair**

Hinged bottom net support manufactured from 32mm tubular steel, designed to be threaded through 1.8m deep net and folds to enable ground maintenance. Bolted on to goal section and can be used for weighing down nets where pegging is not practical – set of 2 to suit senior size goals

**FBL1057\*** **£1,235.38 pair**

Junior size goals as above but 21' x 7' (6.4m x 2.13m) suitable for youth (U13-U14) use

**FBL1115\*** **£186.40 pair**

UEFA regulation net, 1.8m deep square box shape, 3mm braided polyethylene, junior size 21' x 7' (6.4m x 2.13m)

**FBL1118\*** **£340.17 pair**

Hinged bottom net support manufactured from 32mm tubular steel, designed to be threaded through 1.8m deep net and folds to enable ground maintenance. Bolted on to goal section and can be used for weighing down nets where pegging is not practical – set of 2 to suit junior size goals



To conform to BSEN and FA guidelines all freestanding goals must be anchored/weighted regardless of their size.

Also all socketed models should have sockets that are concreted in. These goals only conform to the standards when properly anchored.

**For further details please contact our sales office on +44 (0)1621 868700 or refer to the relevant standards. SEE PAGE 84 FOR SAFETY ADVICE.**





Independently tested to BS EN 748

## 1 ALUMINIUM PARKS TYPE FOOTBALL GOAL POSTS

**FBL1081\*** **£1,368.44 pair**

Senior size goals 24' x 8' (7.32m x 2.44m) suitable for youth/adult (U15+) use. Designed and manufactured for grounds people that regularly assemble and remove posts from shared or public pitches. The heavy duty latch mechanism provides a quick method of securing the posts and crossbar, 102mm x 112mm x 2.5mm thick reinforced aluminium with 100 unique lock on synthetic net hooks (50 per goal). Complete with ground sockets and drop in socket caps

**FBL1085\*** **£105.43 pair**

3mm white nets for the above goals



## 2 SQUARE STEEL ANTI-VANDAL FOOTBALL GOAL POSTS

80mm box section steel. These goals will stand the toughest treatment. Powder coated white, complete with sockets



Goals are independently tested to BS EN 748

Goals are independently tested to BS 8462 - see note page 68

<b>FBL1067*</b>	Senior size goals 24' x 8' (7.32m x 2.44m) suitable for youth/adult (U15+) use	<b>£866.46 pair</b>
<b>FBL1147*</b>	Nets for senior size goals	<b>£122.79 pair</b>
<b>FBL1068*</b>	Junior size goals 21' x 7' (6.4m x 2.13m) suitable for youth (U13-U14) use	<b>£866.46 pair</b>
<b>FBL1148*</b>	Nets for junior size goals	<b>£79.17 pair</b>
<b>FBL1121*</b>	Solid steel continental net supports	<b>£125.29 set</b>

To conform to BSEN and FA guidelines all freestanding goals must be anchored/weighted regardless of their size.

Also all socketed models should have sockets that are concreted in. These goals only conform to the standards when properly anchored.

**For further details please contact our sales office on +44 (0)1621 868700 or refer to the relevant standards. SEE PAGE 84 FOR SAFETY ADVICE.**





## 1 3G INTEGRAL WEIGHTED FOOTBALL GOALS

The hi-raise wheels on these goals lift the goal up to 100mm above the surface allowing use on both synthetic and 3G surfaces, however these goals are more suitable for when ground conditions are more challenging. These goals are the same specification as the original integral weighted football goals but with an aluminium profile backbar with integral weight insert and ballast (see insert picture)

**FBL/008/WFG\*** **£3,583.48 pair**  
Senior size goals 24' x 8' (7.32m x 2.44m) suitable for youth/adult (U15+) use

**FBL/018/NET\*** **£193.07 pair**  
Nets for the above senior goals

**FBL/009/WFG\*** **£3,453.05 pair**  
Junior size goals 21' x 7' (6.4m x 2.13m) suitable for youth (U13-U14) use

**FBL/019/NET\*** **£193.07 pair**  
Nets for the above junior goals



## 2 ALUMINIUM FOLDING FOOTBALL GOALS

Senior size goals 24' x 8' (7.32m x 2.44m) suitable for youth/adult (U15+) use. Ideal for synthetic surfaces, easily wheeled by two people neatly back against a surrounding fence when not in use, allowing space and freedom for other sports. Uprights and crossbars are made from 102mm x 112mm x 2.5mm thick reinforced aluminium, powder coated white, support posts made from 100mm x 100mm galvanised steel, powder coated green and complete with sockets. Adjustable telescoping side bars made from 60mm x 60mm galvanised steel incorporating 90mm diameter, 300mm long roller style wheels with brake (one each side)

**FBL1089\*** 3.5m adjustable to 5m projection goals **£5,296.26 pair**  
**FBL1104\*** 2.3m adjustable to 3.5m projection goals **£5,193.89 pair**  
**FBL1091\*** 3mm white nets for the above goals **£200.15 pair**



To conform to BSEN and FA guidelines all freestanding goals must be anchored/weighted regardless of their size.  
Also all socketed models should have sockets that are concreted in. These goals only conform to the standards when properly anchored.  
**For further details please contact our sales office on +44 (0)1621 868700 or refer to the relevant standards. SEE PAGE 84 FOR SAFETY ADVICE.**





Goals are independently tested to BS 8462 - see note page 68

## 1 STEEL 9V9 GOAL POSTS

**16' x 7' (4.88m x 2.13m) suitable for youth (U11-U12) use**  
(All nets and clips sold separately, unless stated otherwise)

**A FBL1125\* £614.77 pair**

Socketed type. Manufactured from 60mm round steel, crossbars are 4mm thick and uprights are 3mm thick. Polyester powder coated white complete with four 460mm deep sockets with 65mm diameter internal measurement and socket lids. Sockets are designed to allow uprights to sit 308mm into socket. All external bolts are stainless steel

**FBL1048\* £93.48 set**

Set of four tubular steel continental net supports for socketed steel 9v9 goals, manufactured from 25.4mm x 1.6mm thick galvanised steel

**FBL1126\* £94.87 pair**

16' x 7' (4.88m x 2.13m) 2.5mm polyethylene nets for socketed steel 9v9 goals

**B FBL1127\* £894.38 pair**

Freestanding type. Uprights and crossbars are manufactured from 60mm diameter x 4mm steel, uprights have round steel plates on the bottom to prevent posts marking artificial surfaces, side rails and backbar are made from 50mm square steel providing stability and distributing the weight more evenly, polyester powder coated white, net supports are manufactured from zinc plated 32mm diameter steel, complete with four 'U' peg anchors, for pegging on grass

**FBL1128\* £528.38 set of 8**

Set of eight 260mm diameter cellular puncture proof rubber wheels complete with "U" bracket that bolts to the bottom side bar, these wheels when engaged mean the goals can be moved safely by four adults

**FBL1129\* £70.98 pair**

2.5mm polyethylene nets for freestanding steel 9v9 goals



Goals are independently tested to BS 8462 - see note page 68

## 2 3G INTEGRAL WEIGHTED FOOTBALL GOALS

For full specification please refer to the full size goals on page 74

**FBL/010/WFG\* £3,389.58 pair**

16' x 7' (4.88m x 2.13m)

**FBL/010/NET\* £169.32 pair**

Nets for the above goals



2



Goals are independently tested to BS 8462 - see note page 68

To conform to BSEN and FA guidelines all freestanding goals must be anchored/weighted regardless of their size.

Also all socketed models should have sockets that are concreted in. These goals only conform to the standards when properly anchored.

For further details please contact our sales office on +44 (0)1621 868700 or refer to the relevant standards. SEE PAGE 84 FOR SAFETY ADVICE.



## 1 ALUMINIUM 9V9 GOAL POSTS - 16' x 7' (4.88m x 2.13m) suitable for youth (U11-U12) use (All nets and clips sold separately, unless stated otherwise)

### A FBL1130\*

**£1,212.74 pair**

Socketed type. Uprights and crossbars manufactured from 102mm x 112mm x 2.2mm thick reinforced aluminium. The welded crossbar / upright corner joints provide added strength and aesthetic appearance, the zinc plated steel fixing plate incorporates the corner net retaining clamp. Goals are polyester powder coated white and have a micro adjustable foot on each upright which allows exact upright height. The 460mm deep elliptical sockets come complete with drop-in socket lids and wedges for holding posts firmly in the socket and the goals come complete with 210 net hooks per goal

### FBL1101\*

**£109.45 set**

Set of four continental net supports for socketed aluminium 9v9 goals, manufactured from 25mm diameter x 1.5mm thick pre-galvanised steel, detachable for easy storage

### FBL1131\*

**£113.76 pair**

16' x 7' (4.88m x 2.13m) 3.0mm polyethylene nets for socketed aluminum 9v9 goals

### B FBL1132\*

**£2,176.29 pair**

Fixed freestanding type. Manufactured from 102mm x 112mm x 2.2mm thick reinforced aluminium, the international net supports and diagonal braces are manufactured from 31.8mm diameter x 1.5mm thick galvanised steel. The welded crossbar/upright corner joints provide added strength & aesthetic appearance. Goals are polyester powder coated white and come complete with 200 unique lock-on synthetic net hooks and stainless steel bolts and also four 'U' peg grass anchors

### FBL1134\*

**£173.07 pair**

4.0mm polyethylene nets for fixed freestanding aluminum 9v9 goals

### C FBL1135\*

**£1,096.48 pair**

Folding freestanding type. Uprights and crossbars are manufactured from 80mm diameter x 2.5mm thick aluminium, uprights and crossbars are polyester powder coated white, complete with 32mm x 1.5mm thick steel full back supports. Complete with sprung loaded folding side frame for ease of use and storage, the galvanised steel bottom backbar is detachable and is 42.4mm diameter x 3.2mm. Goals come complete with four "U" peg anchors and lock-on synthetic net hooks. All external bolts are stainless steel and the corner joints are welded with an internal 8mm thick steel plate for added strength and aesthetic appearance

### FBL1136\*

**£113.76 pair**

3.0mm polyethylene nets for folding freestanding aluminum 9v9 goals



Goals are independently tested to BS 8462 - see note page 68



Goals are independently tested to BS 8462 - see note page 68



Goals are independently tested to BS 8462 - see note page 68

To conform to BSEN and FA guidelines all freestanding goals must be anchored/weighted regardless of their size.

Also all socketed models should have sockets that are concreted in. These goals only conform to the standards when properly anchored.

**For further details please contact our sales office on +44 (0)1621 868700 or refer to the relevant standards. SEE PAGE 84 FOR SAFETY ADVICE.**





## 1 STEEL 7-A-SIDE GOAL POSTS

**FBL1099\*** 16' x 6' (4.88m x 1.83m)

**£481.98 pair**

Fixed freestanding type goals. Uprights and crossbars are manufactured from 50.8mm diameter by 2.6mm thick steel, polyester powder coated white, complete with 32mm x 1.5mm thick galvanised steel full back supports, detachable 42.4mm diameter x 3.2mm galvanised steel bottom backbar and four "U" peg anchors

**FBL1100\*** Nets for 16' x 6' (4.88m x 1.83m)

**£51.25 pair**

Goals are independently tested to BS 8462 - see note page 68

## 2 ALUMINIUM 7-A-SIDE GOAL POSTS

**FBL1097\*** 16' x 6' (4.88m x 1.83m)

**£886.04 pair**

Fixed freestanding type, uprights and crossbars are manufactured from 80mm diameter x 2.5mm thick aluminium, polyester powder coated white complete with 32mm x 1.5mm thick steel full back supports. Fixed side frame complete with detachable 42.4mm diameter x 3.2mm galvanised steel bottom backbar and complete with four 'U' peg anchors and lock-on synthetic net hooks, welded corner joints with an internal 8mm thick steel plate for added strength and aesthetic appearance. All external bolts are stainless steel

**FBL1100\*** Nets for 16' x 6' (4.88m x 1.83m)

**£51.25 air**



Goals are independently tested to BS 8462 - see note page 68



## 3 3G INTEGRAL WEIGHTED FOOTBALL GOALS

For full specification please refer to the full size goals on page 74

**FBL/013/WFG\*** 16' x 6' (4.88m x 1.83m)

**£3,311.65 pair**

**FBL/113/NET\*** Nets for the above goals

**£173.07 pair**



See website for more options on these size goals

To conform to BSEN and FA guidelines all freestanding goals must be anchored/weighted regardless of their size.

Also all socketed models should have sockets that are concreted in. These goals only conform to the standards when properly anchored.

For further details please contact our sales office on +44 (0)1621 868700 or refer to the relevant standards. SEE PAGE 84 FOR SAFETY ADVICE.



## 1 STEEL 7-A-SIDE GOAL POSTS

**12' x 6' (3.66m x 1.83m) suitable for mini soccer (U7-U10) use**

(All nets and clips sold separately, unless stated otherwise)

### A FBL1041\*

**£613.52 pair**

Socketed type. 60mm diameter x 4mm thick steel crossbars and 3mm thick uprights, polyester powder coated white, complete with four 460mm deep sockets with 65mm diameter internal measurement and lids, sockets are designed to allow uprights to sit 308mm into the socket. All external bolts are stainless steel

### FBL1048\*

**£93.48 set**

Set of four tubular steel continental net supports for socketed steel 7v7 goals, manufactured from 25.4mm x 1.6mm thick galvanised steel.

### B FBL1042\*

**£478.65 pair**

Fixed freestanding type. Uprights and crossbars are manufactured from 50.8mm diameter by 2.6mm thick steel, polyester powder coated white, complete with 32mm x 1.5mm thick galvanised steel full back supports, detachable 42.4mm diameter x 3.2mm galvanised steel bottom backbar and four "U" peg anchors

### C FBL1043\*

**£506.71 pair**

Folding freestanding type. Uprights and crossbars are manufactured from 50.8mm diameter by 2.6mm thick steel, polyester powder coated white, complete with 32mm x 1.5mm thick galvanised steel full back supports, sprung loaded folding side frame for ease of use and storage, detachable 42.4mm diameter x 3.2mm galvanised steel bottom backbar and four "U" peg anchors

### FBL1047\*

**£48.34 pair**

2.5mm polyethylene nets for steel 7-a-side goals



Goals are independently tested to BS 8462 - see note page 68



Goals are independently tested to BS 8462 - see note page 68



Goals are independently tested to BS 8462 - see note page 68

To conform to BSEN and FA guidelines all freestanding goals must be anchored/weighted regardless of their size.

Also all socketed models should have sockets that are concreted in. These goals only conform to the standards when properly anchored.

**For further details please contact our sales office on +44 (0)1621 868700 or refer to the relevant standards. SEE PAGE 84 FOR SAFETY ADVICE.**





1A

## 1 ALUMINIUM 7-A-SIDE GOAL POSTS

**12' x 6' (3.66m x 1.83m) suitable for mini soccer (U7-U10) use**

(All nets and clips sold separately, unless stated otherwise)

**A FBL1044\***

**£1,051.20 pair**

Socketed type. Uprights and crossbars manufactured from 102mm x 112mm x 2.2mm thick reinforced aluminium. The welded crossbar/upright corner joints provide added strength and aesthetic appearance, the zinc plated steel fixing plate incorporates the corner net retaining clamp. Goals are polyester powder coated white and have a micro adjustable foot on each upright which allows exact upright height. The 460mm deep elliptical sockets come complete with drop-in socket lids and wedges for holding posts firmly in the socket and the goals come complete with 210 net hooks per goal

**FBL1101\***

**£109.45 set**

Set of four continental net supports for socketed aluminium 7-a-side goals, manufactured from 25mm diameter x 1.5mm thick pre-galvanised steel, detachable for easy storage

**FBL1046\***

**£819.93 pair**

Fixed freestanding type. Uprights and crossbars are manufactured from 80mm x 2.5mm thick aluminium. Complete with 32mm x 1.5mm thick steel full back supports, fixed side frames with detachable 42.4mm diameter x 3.2mm galvanised steel bottom backbar, four 'U' peg anchors and lock-on synthetic net hooks. The welded corner joints have an internal 8mm thick steel plate for added strength and aesthetic appearance, all external bolts are stainless steel, goals are powder coated white

**B FBL1123\***

**£856.46 pair**

Folding freestanding type. Uprights and crossbars are manufactured from 80mm x 2.5mm thick aluminium. Complete with 32mm x 1.5mm thick steel full back supports, sprung loaded folding side frame for ease of use and storage, with detachable 42.4mm diameter x 3.2mm galvanised steel bottom backbar, four 'U' peg anchors and lock-on synthetic net hooks. The welded corner joints have an internal 8mm thick steel plate for added strength and aesthetic appearance, all external bolts are stainless steel, goals are powder coated white

**FBL1047\***

**£48.34 pair**

2.5mm polyethylene nets for aluminium 7-a-side goals



1B

Goals are independently tested to BS 8462 - see note page 68

Goals are independently tested to BS 8462 - see note page 68



1B

## 2 3G INTEGRAL WEIGHTED FOOTBALL GOALS


For full specification please refer to the full size goals on page 74

**FBL/011/WFG\*** 12' x 6' (3.66m x 1.83m)


**£3,041.22 pair**

**FBL/111/NET\*** Nets for the above goals

**£162.51 pair**



2



2

Goals are independently tested to BS 8462 - see note page 68

To conform to BSEN and FA guidelines all freestanding goals must be anchored/weighted regardless of their size.

Also all socketed models should have sockets that are concreted in. These goals only conform to the standards when properly anchored.

For further details please contact our sales office on +44 (0)1621 868700 or refer to the relevant standards. SEE PAGE 84 FOR SAFETY ADVICE.



## 1 FIVE-A-SIDE GOAL POSTS (Heavy Duty)

The main frame of these goals is constructed from 50mm diameter heavy gauge tube. These goals will not flop around like many other goals on the market. Finished in exceptionally durable epoxy powder. Ideal for sports centres and schools, suitable for indoor or outdoor use



Conforms to BS EN 16579:2018

<b>FBL/084/STD</b>	8' x 4' (2440 x 1220mm) without wheels	<b>£339.34 pair</b>
<b>FBL/124/STD</b>	12' x 4' (3660 x 1220mm) without wheels	<b>£358.85 pair</b>
<b>FBL/164/STD</b>	16' x 4' (4880 x 1220mm) without wheels	<b>£369.67 pair</b>
<b>FBL/084/WHL</b>	8' x 4' (2440 x 1220mm) with wheels	<b>£412.47 pair</b>
<b>FBL/124/WHL</b>	12' x 4' (3660 x 1220mm) with wheels	<b>£431.09 pair</b>
<b>FBL/164/WHL</b>	16' x 4' (4880 x 1220mm) with wheels	<b>£450.51 pair</b>



Conforms to BS EN 16579:2018

## 2 FIVE-A-SIDE NETS

<b>FBL/084/NET</b>	8' x 4' (2440 x 1220mm) nets	<b>£48.41 pair</b>
<b>FBL/124/NET</b>	12' x 4' (3660 x 1220mm) nets	<b>£51.77 pair</b>
<b>FBL/164/NET</b>	16' x 4' (4880 x 1220mm) nets	<b>£60.51 pair</b>



Goals are independently tested to BS 8462 - see note page 68

## 3 3G INTEGRAL WEIGHTED FIVE-A-SIDE GOALS

Same specification as full size goals on page 74 but with only 2 wheels per goal instead of 4

<b>FBL/014/WFG*</b>	16' x 4' (4.88m x 1.22m) goal	<b>£2,638.96 pair</b>
<b>FBL/011/NET*</b>	Net to suit 16' x 4' goal	<b>£109.87 pair</b>
<b>FBL/015/WFG*</b>	12' x 4' (3.66m x 1.22m) goal	<b>£2,291.16 pair</b>
<b>FBL/012/NET*</b>	Net to suit 12' x 4' goal	<b>£109.87 pair</b>
<b>FBL/016/WFG*</b>	8' x 4' (2.44m x 1.22m) goal	<b>£2,224.07 pair</b>
<b>FBL/116/NET*</b>	Net to suit 8' x 4' goal	<b>£112.51 pair</b>



To conform to BSEN and FA guidelines all freestanding goals must be anchored/weighted regardless of their size.

Also all socketed models should have sockets that are concreted in. These goals only conform to the standards when properly anchored.

For further details please contact our sales office on +44 (0)1621 868700 or refer to the relevant standards. SEE PAGE 84 FOR SAFETY ADVICE.





## 1 FREESTANDING ALUMINIUM FIVE-A-SIDE GOAL POSTS

Uprights and crossbars are manufactured from 80mm diameter x 2.5mm thick aluminium, polyester powder coated white, complete with 32mm x 1.5mm thick steel back supports, fixed side frames, 42.4mm diameter x 3.2mm galvanised steel bottom backbar, complete with four 'U' peg anchors and lock-on synthetic net hooks, all external bolts are stainless steel, welded corner joints with an internal 8mm thick steel plate and external L plate for added strength and aesthetic appearance

<b>FBL1032*</b>	16' x 4' (4.88m x 1.22m) goal	<b>£840.34 pair</b>
<b>FBL1038*</b>	3mm nets for 16' x 4' goal	<b>£65.14 pair</b>
<b>FBL1033*</b>	12' x 4' (3.66m x 1.22m) goal	<b>£784.37 pair</b>
<b>FBL1039*</b>	3mm nets for 12' x 4' goal	<b>£61.67 pair</b>

Goals are independently tested to BS 8462 - see note page 68

## 2 FENCE FOLDING ALUMINIUM FIVE-A-SIDE GOAL POSTS

Ideal for synthetic surfaces, easily wheeled by two people neatly back against a surrounding fence, when not in use, allowing space and freedom for other sports. Uprights and crossbars manufactured from 80mm diameter x 2.5mm reinforced aluminium polyester powder coated white. Crossbars have welded corner joints for added strength and aesthetic appearance. The net supports are manufactured from steel polyester powder coated green. 100mm square galvanised steel support posts complete with sockets and 60mm galvanised steel telescoping side bars, the rollers are solid PVC and goals come complete with stainless steel bolts throughout and lock-on synthetic net hooks



Goals are independently tested to BS 8462 - see note page 68

<b>FBL1105*</b>	16' x 4' (4.88m x 1.22m) goal – 2.3m to 3.5m projection	<b>£2,809.25 pair</b>	<b>FBL1109*</b>	Nets to suit 16' x 4' goal	<b>£65.14 pair</b>
<b>FBL1106*</b>	12' x 4' (3.66m x 1.22m) goal – 2.3m to 3.5m projection	<b>£2,801.06 pair</b>	<b>FBL1110*</b>	Nets to suit 12' x 4' goal	<b>£61.67 pair</b>
<b>FBL1107*</b>	16' x 4' (4.88m x 1.22m) goal – 3.5m to 5m projection	<b>£2,932.32 pair</b>			
<b>FBL1108*</b>	12' x 4' (3.66m x 1.22m) goal – 3.5m to 5m projection	<b>£2,911.76 pair</b>			

Goals are independently tested to BS 8462 - see note page 68



## 3 FREESTANDING ALUMINIUM FUTSAL GOAL POSTS - 3m x 2m

**FBL1092\*** 2m runback **£864.51 pair**

Uprights and crossbars are manufactured from 80mm diameter x 2.5mm thick aluminium, uprights and crossbars are polyester powder coated white, complete with 32mm diameter x 1.5mm thick steel full net supports. Sprung loaded folding side frame for ease of use and storage, complete with detachable 42.4mm diameter x 3.2mm galvanised steel bottom backbar. Complete with lock-on synthetic net hooks. All external bolts are stainless steel

**FBL1093\*** **£69.87 pair**  
2.5mm goal nets for 2m runback futsal goals

**FBL1137\*** 1.1m runback **£809.93 pair**  
1.1m runback goal. Same specification as 2m runback goal but without steel bottom backbar, these goals must be securely floor fixed at all times, see M12 floor plugs on page 171. Total depth of goal 1140mm

**FBL1138\*** **£69.87 pair**  
2.5mm goal nets for 1m runback futsal goals



3

3

To conform to BSEN and FA guidelines all freestanding goals must be anchored/weighted regardless of their size.

Also all socketed models should have sockets that are concreted in. These goals only conform to the standards when properly anchored.

For further details please contact our sales office on +44 (0)1621 868700 or refer to the relevant standards. SEE PAGE 84 FOR SAFETY ADVICE.





## 1 3G INTEGRAL WEIGHTED FUTSAL GOAL

For full specification please refer to the full size goals on page 74

<b>FBL/017/WFG*</b>	3m x 2m goal	<b>£3,158.45 pair</b>
<b>FBL/112/NET*</b>	Net to suit futsal goal	<b>£150.01 pair</b>

## 2 FUTSAL POLYGOAL

**FBL1139\*** 3m x 2m **£161.68 each**

PVC freestanding goal which is lightweight and can be easily assembled and dismantled. Manufactured from 68mm diameter heavy duty white PVC, comes complete with net, "U" peg anchors, net retaining clips and carry bag. The goal joins together using PVC button clips to ensure stability. Sold as single goals



## 3 POLYGOAL

<b>FBL/001/POL*</b>	9v9 size, 4.88m x 2.14m	<b>£195.43 each</b>
<b>FBL/002/POL*</b>	7v7/5v5 size 3.66m x 1.83m	<b>£144.18 each</b>

PVC freestanding goal which is lightweight and can be easily assembled and dismantled. Manufactured from 68mm diameter heavy duty white PVC, comes complete with net, "U" peg anchors, net retaining clips and carry bag. The goal joins together using PVC button clips to ensure stability. Sold as single goals

Goals are independently tested to BS 8462 - see note page 68

To conform to BSEN and FA guidelines all freestanding goals must be anchored/weighted regardless of their size.

Also all socketed models should have sockets that are concreted in. These goals only conform to the standards when properly anchored.

**For further details please contact our sales office on +44 (0)1621 868700 or refer to the relevant standards. SEE PAGE 84 FOR SAFETY ADVICE.**



## 1 MINI TARGET GOAL

**FBL1143\***

**£413.64 each**

Lightweight, portable mini training goal which is made from 65mm x 50mm aluminium which is powder coated white and comes complete with a 3mm braided polyethylene net and synthetic net clips (net colour may vary). 8' x 2' (2.44 x 0.6m)



## 2 MINI TRAINING GOALS

These goals are lightweight and portable, making them the perfect training aid for target practice. They're manufactured from 80mm diameter x 2.5mm thick aluminium, polyester powder coated white. They come with full length international style net supports, 4mm thick polyethylene net, 2 "U" peg anchors and easy to use synthetic net hooks

**FBL1140\*** 1.5m x 1.0m **£349.61 each**


**FBL1141\*** 2.0 x 1.0m **£371.14 each**

**FBL1142\*** 3.0m x 1.0m **£436.15 each**


Goals are independently tested to BS 8462 - see note page 68

Following the recent consultation, discussion and research by the FA they have issued new guidelines regarding youth football, the following gives details to explain the different sizes and help you decide the best size for your requirements.

### Senior / Junior



### Youth / Small Sided



### Traditional 5-a-side



AGE	FORMAT	PITCH SIZE (YDS)	BALL SIZE	GOAL SIZE
U7	5v5	30 x 20 to 40 x 30	3	3.66 x 1.83m
U8	5v5	30 x 20 to 40 x 30	3	3.66 x 1.83m
U9	7v7	50 x 30 to 60 x 40	3	3.66 x 1.83m
U10	7v7	50 x 30 to 60 x 40	4	3.66 x 1.83m
U11	9v9 (7v7*)	70 x 60 to 80 x 50 (50 x 30 to 60 x 40)	4 (4)	4.88 x 2.13m to 6.40 x 2.13m (3.66 x 1.83m)
U12	9v9	70 x 40 to 80 x 50	4	4.88 x 2.13m to 6.40 x 2.13m
U13	9v9 or 11v11	90 x 50 to 100 x 60	4	6.40 x 2.13m to 7.32 x 2.44m
U14	9v9 or 11v11	90 x 50 to 100 x 60	4	6.40 x 2.13m to 7.32 x 2.44m
U15	9v9 or 11v11	90 x 50 to 110 x 70	4	7.32 x 2.44m
U16	9v9 or 11v11	90 x 50 to 110 x 70	5	7.32 x 2.44m
U17	11v11	90 x 50 to 110 x 70	5	7.32 x 2.44m
U18	11v11	90 x 50 to 110 x 70	5	7.32 x 2.44m
18+	11v11	90 x 50 to 110 x 70	5	7.32 x 2.44m





## 1 COMBINATION FOOTBALL/RUGBY GOALS

These versatile combination posts are the ideal solution where limited space is a primary concern. The football goal uprights and crossbar are made from 60.3mm diameter steel, rugby post uprights and crossbar are made from 50.8mm diameter aluminium, all powder coated white. Goals come complete with 24 synthetic arrow net hooks and 4 460mm deep sockets. Rugby uprights stand 6.4m overall and the crossbar is 5.6m long x 3m high

<b>RUG1037*</b>	Senior size goals 7.32m x 2.44m	<b>£1,064.53 pair</b>
<b>RUG1040*</b>	Senior size nets	<b>£74.45 pair</b>
<b>RUG1038*</b>	Junior size goals 6.4m x 2.13m	<b>£971.19 pair</b>
<b>RUG1041*</b>	Junior size nets	<b>£79.17 pair</b>
<b>RUG1039*</b>	Tubular net supports	<b>£106.54 set</b>



## FOOTBALL SAFETY NOTICE

**Serious accidents have happened involving goals. In a recently published document by the Football Association it is emphasised that they do not approve of homemade and modified goals as most deaths from accidents have involved these types of goals**

**We recommend that all wooden goals are replaced in order to conform to BSEN standards and FA guidelines**

All freestanding goals MUST be anchored at all times. There are several methods to anchor goals:

- 1 Socketed goals where the sockets are correctly concreted into the ground is an extremely safe method
- 2 For freestanding goals where the possibility of tilting is greater, there are three areas to consider:
  - A Indoor Sports Hall - Fixed built-in underfloor anchorage, wall fixings or counterweights
  - B Synthetic Pitches - Fixed built-in underground anchorage, fence fixings or counterweights
  - C Grass Pitches - Traditional Earthworm screws, large "U" pegs, 460mm ground pegs, cemented in ground socket with fixing loop or counterweights


Any of the above may be suitable, depending on the ground conditions, however if in doubt there is a formula given by the FA to ensure an effective method of stabilising goals

**Taking our full-size freestanding aluminium goal as an example:**

\* Goal height is 2.44m \* Length of side bar is 2.36m \* Height divide by length = 2.44 divide by 2.36 = 1.03 \* 1.03 x 112 = 115.36kg

**\* You need 115kg to stabilise this goal**





## 1 FOOTBALL NETS - Two Colour Knotless


Two colour diagonal striped high tenacity polypropylene nets. 4mm diameter mesh available in green/white, blue/white, blue/yellow, black/white, black/yellow, black/red and red/white

**FBL1060\*** Continental style nets, 7.5m x 2.5m

**£173.47 pair**

**FBL1061\*** Box style nets, 7.5m x 2.5m running back 2m equal top and bottom

**£256.81 pair**



## 2 FOOTBALL NETS - Single Colour Knotless

High tenacity knotless polypropylene 4mm diameter nets available in green, white, orange, blue, yellow, black, red and violet

**FBL1062\*** Continental style nets, 7.5m x 2.5m

**£121.38 pair**



## 3 FOOTBALL NET PEGS & STRAPS

**FBL1019\*** (Not Illustrated)

**£2.40 set of 10**

180mm steel ground pegs

**FBL1020\*** (Not Illustrated)


**£19.52 set of 10**

250mm x 10mm diameter heavy duty steel ground pegs

**A FBL1021\***

**£19.45 pack**

Pack of 24 lock in net clips, easy to use, simply insert into the channel on the back of the football goal and twist horizontally to lock in to place



**FBL1086\*** (Not Illustrated)

**£20.44 pack**

Hook and loop net straps, simple press together nylon net straps to hold net in place. Pack of 40 (to suit 76mm diameter posts)

**FBL1087\***

**£9.66 pack**

As FBL1086 but for five a side and seven a side goals. Pack of 24 (to suit 50mm diameter posts)

**B FBL1022\*** Push in arrow hook for steel goals

**£7.76 set of 12**

**C FBL1024\*** Pack of 80 plastic net clips

**£12.00 each**



## 4 CORNER POLES

**A FBL1063\***

**£12.50 each**

Spring loaded safety corner poles, ground socket, red flag and holding clip included

**B FBL1023\***

**£5.50 each**

White flexible PVC pole with spike, 22mm x 1.8m

## 5 FLAGS

**A FBL1149\***

**£52.16 each**

Black flexible moulded corner base for corner flag poles

**B FBL1027\***

**£3.32 each**

30cm x 30cm single colour flag, colours available are amber, black, green, maroon, navy, orange, red, royal blue, sky blue, white and yellow

**C FBL1028\***

**£4.29 each**

30cm x 30cm two colour flag, colours available are amber, black, green, maroon, navy, orange, red, royal blue, sky blue, white and yellow



**5B**

**5C**

Please specify flag colour required when ordering, otherwise red will be supplied for single colour and blue/yellow for two colour





## 1 TURF ANCHORS

**A FBL1112\***

**£105.70 each**

Turf anchor suitable for use on grass surfaces for all freestanding football and other freestanding games posts. Fits onto backbars up to 43mm diameter. Complete with three link galvanised chain, carbine clip and "U" style bracket

**B FBL1071\***

**£34.43 each**

400mm anchor which can penetrate hard ground where conventional metal and plastic may break and distort



## 2 PITCH PROTECTION/CROWD CONTROL BARRIER

Designed to create a barrier between the pitch and all other areas, made from 50mm aluminium polyester powder coated white. Designed to be used with either a turf screw or standard socket

**FBL1144\***

1m high upright

**£34.03 each**

**FBL1145\***

White plastic chain

**£143.34 per 25m reel**

**SPE1007\***

Turf screw

**£16.67 each**

**FBL1146\***

Steel socket

**£9.58 each**



## 3 COUNTER BALANCE WEIGHT - 17KG

Suitable for use on all outdoor surfaces, polyester powder coated blue, fits on backbars up to 43mm diameter, complete with 3 link galvanised chain, carbine clip and "U" type bracket. Nut and square head bolt included for use with aluminium goals. PST1002 has a larger "U" bracket for use with larger diameter backbars. Requirements are 10 for hockey, 6 for 9v9/futsal/7v7 goals and 4 for five a side goals (per goal)

**PST1001\***

For backbars upto 43mm diameter

**£57.57 each**

**PST1002\***

For backbars over 43mm diameter

**£64.10 each**



## 4 SPORTS HALL COUNTER BALANCE WEIGHT - 17KG

**PST1003\***

**£62.16 each**

Same as our standard counter balance weight but with a rubber floor pad to protect sportshall floors

## 5 FIVE-A-SIDE GOALS MATS

Made from shock absorbing medium density recycled chipfoam and covered in a leather effect blue PVC to reduce the chance of skin burns. Shaped to fit into the goal and have a superior anti-slip latex base to prevent movement in play. All edges of the mat that face the playing area have a unique tapered edge to avoid ball deflection and trip hazards. Manufactured in two, three or four sections (depending on size of mat) which connect using a hook and loop system, making it easier to handle and store when not in use. Complete with unique white goal line

**FBL/084/MAT**

2 section mat to suit a goal size 2440mm (8')

**£314.75 pair**

**FBL/012/MAT**

3 section mat to suit a goal size 3660mm (12')

**£371.97 pair**

**FBL/016/MAT**

4 section mat to suit a goal size 4880mm (16')

**£457.81 pair**







## 1 GOAL ANCHORAGE SET

PST/001/ANC

£79.00 set

- ✓ Set of four anchors (two per goal) for fitting into sports hall floors or wall
- ✓ Complete with heavy duty nylon straps to prevent goals from tipping



## 2 MESH BALL CARRY BAG

BAL/001/NET

Fine mesh ball carry bag, holds 12/14 balls

£8.28 each



## 3 STIRRUP PUMP AND NEEDLE

STR/002/PUM

£13.43 each

Complete with needle adaptor. With metal barrel and lever device to secure the adaptor



## 4 LINEMARKERS

A MAK1002\*

£930.63 each

Battery powered spray line marker, with an 18 amp/hr battery (5 hours in one charge – enough for 15 football pitches). Complete with four wheels and fully adjustable handle for precise control. Simple, thumb-operated “on-off” spray control, easy to adjust line width, detachable spray lance, 25 litre tank. Sprays lines from 1 to 5” (2.5cm to 13cm)

B MAK1004\*

£327.80 each

Manufactured from steel and polyester powder coated blue, with an interchangeable 76mm knurled transfer wheel for improved distribution. Complete with a large rigid handle and heavy duty 305mm diameter rubber wheels. The 18 litre tank enables up to 2 football pitches to be marked in one filling. The take wheel lifts out for easy cleaning

MAK1005\*

£50.77 each

Fieldmaster line marking fluid for the above line marker, sold as 20 litres of fluid in 2 x 10 litre drums

## 5 FOOTBALLS

A FBL/001/BAL

£18.38 each

Mitre Cyclone indoor football, 18 panel, rubber ball with laminated felted panels - size 4

B FBL/002/BAL

£10.44 each

Mitre Tactic football, top selling junior training quality ball, with proven vulcanised rubber laminate construction - size 5

5A



5B







## 1 2M HIGH PITCH DIVIDER SYSTEM

This is a semi-permanent netting system. Sold in 10m runs and comes complete with 2 uprights manufactured from 50mm aluminium and polyester powder coated black and 120mm square mesh sleeved netting with bottom band for easy installation, designed to be used with turf screw sockets (supplied separately). Any length can be ordered in 10m increments

<b>BAL1015*</b>	<b>£260.02 per 10m run</b>
<b>SPE1007*</b>	<b>£16.67 each</b>

## 2 FOOTBALL PERIMETER PROTECTION SYSTEM

Perimeter poles stand 6.4m high out of ground, ideal for training ground environments and shared pitches which require a ball stop boundary. Nets are raised and lowered using a haulage rope system, uprights 7.3m long, 76mm diameter x 3mm thick steel, polyester powder coated green, complete with 15m haulage rope, eye and cleat, for use with lightweight surround netting only, maximum distance between posts must be no more than 5.5m, we do not recommend the use of perimeter poles in windy or exposed sites and strongly advise that they are stored horizontally in windy conditions

<b>FBL1051*</b>	<b>£158.21 each</b>
6.4m (out of ground) perimeter pole, one piece upright	

<b>FBL1052*</b>	<b>£48.13 each</b>
Perimeter pole socket, 914mm deep x 89mm diameter x 3mm steel	

<b>FBL1053*</b>	<b>£1.76 m2</b>
Polyethylene surround black netting, 120mm mesh x 2.5mm	



## 3 SYNTHETIC PITCH DIVIDER SYSTEM

Designed to be installed outside of the perimeter fence and can hang netting with minimal sag over a span of up to 63m. 100mm square posts manufactured from 4mm thick galvanised steel that are polyester powder coated green. The winch posts is fitted with a winch and top pulley wheel, the dummy post is complete with pulley wheel and cleat. The winch has an exposed mechanism and a maximum load rating of up to 350kg. Pitch divider systems must be installed in minimum 1m cube of concrete, consult a structural engineer for advice where required. The posts are designed to be concreted directly in the ground but ground sockets can be supplied separately at an additional cost. To help alleviate billowing of the net we recommend the use of a bottom band with sewn in 18mm rope

<b>BAL1003*</b>	2.7m high posts (out of ground)	<b>£1,218.15 pair</b>
<b>BAL1004*</b>	3.0m high posts (out of ground)	<b>£1,315.11 pair</b>
<b>BAL1005*</b>	3.6m high posts (out of ground)	<b>£1,412.20 pair</b>
<b>BAL1006*</b>	920mm deep sockets with a 103mm square internal face	<b>£80.01 each</b>
<b>BAL1007*</b>	2.7m high, 2mm thick netting, 50mm square mesh, UV resistant, with selvaged edges (allow 2.5% extra on overall length of netting)	<b>£8.54 per metre</b>
<b>BAL1008*</b>	3.0m high, 2mm thick netting, 50mm square mesh, UV resistant, with selvaged edges (allow 2.5% extra on overall length of netting)	<b>£9.06 per metre</b>
<b>BAL1009*</b>	3.6m high, 2mm thick netting, 50mm square mesh, UV resistant, with selvaged edges (allow 2.5% extra on overall length of netting)	<b>£9.83 per metre</b>
<b>BAL1010*</b>	4mm pitch divider wire	<b>£3.08 per metre</b>
<b>A BAL1011*</b>	Stainless steel split rings	<b>£0.82 each</b>
<b>B BAL1012*</b>	Dog clips	<b>£0.47 each</b>
<b>BAL1013*</b>	Bottom band with 18mm rope	<b>£3.68 per metre</b>
<b>BAL1014*</b>	Polyethylene 6mm rope	<b>£0.42 per metre</b>

