



Years of research and development have enabled us to offer the most comprehensive range of climbing frames on today's market. Careful design, modern manufacturing techniques and the selection of the best materials have earned us an enviable reputation in the field. All frames are installed by our own fully trained engineers. Our frames are designed with National Curriculum for Gymnastics in mind, allowing children experience in performing the basic gymnastic actions on apparatus

GUIDE: The coloured symbols below give an indication on the suitability of climbing frames for each Key Stage of National Curriculum Gymnastics. This is a guide only - if in doubt contact your area PE Adviser or gymnastic specialist

- Key Stage 1
- Key Stage 2
- Key Stage 3/4



For a no obligation site visit or for technical details regarding this frame, please contact our Sales Department on **+44(0)1621 868700**

1 SUPER NOVA FRAME ■ ■ ■ [VIEW PRODUCT](#)

(Key stages 1, 2 and 3 only)

Please call for pricing

The Super Nova is specified by many local authorities for new school projects

Coupled with our linking accessories, it offers an extensive variety of activities particularly suited for National Curriculum Gymnastics


The Super Nova can be manufactured at two different heights:

- ✓ 3040mm (10') Key Stage 1 & 2
- ✓ 3600mm (12') Key Stage 3

To give guidance as to use for Key Stages 1 & 2 and 2 & 3, coloured bars can be included at specific heights

The Super Nova is more challenging and stimulating than basic frames and includes as standard:

- ✓ 3 pairs brightly coloured fixed rings
- ✓ 1 set of four swivel rings adjustable to three positions
- ✓ 1 foldaway box ladder
- ✓ 1 foldaway double incline ladder



STORAGE

The Super Nova is designed as a two panel unit, each panel being 3040mm high x 2514mm wide

Panels are installed at 3050mm centres and normally fold flat as a pair

If wall space is at a premium the frames can be manufactured to fold one over the other at no extra cost

2 ACCESSORIES [BUY NOW](#)

The following accessories compliment our Super Nova frame and increases the range of activities and experiences for pupils:

- POL/001/LNK** 3050mm (10') linking aluminium pole
- BEM/001/LNK** 3050mm (10') linking timber balance beam
- LAD/001/LNK** 3200mm (10'6") timber ladder, hooks one end
- STG/001/LNK** Storage hooks for pole
- STG/002/LNK** Storage hooks for ladder or beam
- STG/006/LNK** Timber fillets 600mm long (including 4 expansion bolts)
- STG/009/LNK** Timber fillets 900mm long (including 4 expansion bolts)
- STG/012/LNK** Timber fillets 1200mm long (including 4 expansion bolts)

The above accessories can be stored horizontally on hooks behind the frames for ease of access



1 TRIO NOVA FRAME [VIEW PRODUCT](#)

Please call for pricing

The clever design of the Trio Nova Frame combines the space saving benefits of our standard steel Trio Frame with most of the features of our Super Nova Frame

The frame only requires a 2.1m width of wall space for storage, and windows and radiators can be spanned without difficulty

The Trio Nova comprises three panels, each 2927mm high x 2000mm wide and features two metal diagonal bracing ladders which lock into the floor and remove the need for cables. Floor sockets are included for both Y and T positions

As with the Super Nova, included as standard are the following features:

- ✓ 3 pairs brightly coloured rings
- ✓ 1 set of four swivel rings adjustable to three positions
- ✓ 1 foldaway box ladder
- ✓ 1 foldaway double incline ladder



2 ACCESSORIES [BUY NOW](#)

The Trio Nova Frame can be complimented with the following accessories to increase the range of activities and experiences:

LAD/VTC/NVA	Timber/aluminium wall fixed ladder (Not illustrated)	Please call for pricing
POL/002/LNK	2335mm (7'8") Aluminium pole	
BEM/002/LNK	2335mm (7'8") Timber balance beam	
LAD/002/LNK	2490mm (8'2") Timber ladder	
STG/001/LNK	Storage hooks for pole	
STG/002/LNK	Storage hooks for ladder or beam	
STG/006/LNK	Timber fillets 600mm long (including 4 expansion bolts)	
STG/009/LNK	Timber fillets 900mm long (including 4 expansion bolts)	
STG/012/LNK	Timber fillets 1200mm long (including 4 expansion bolts)	



Please contact our Sales Department on +44 (0)1621 868700 for a no obligation survey



3 TRIO NOVA FRAME MATS [BUY NOW](#)

TRI/003/MAT

Sets of brightly coloured mats for use with our trio nova climbing frame which hook and loop together to secure them in place. Suitable for use when the frame is in both the "Y" and "T" position



Wall fixed ladder and linking pole shown in picture are sold separately to the frame

For a no-obligation site visit or for technical details regarding this frame, please contact our Sales Department on **+44 (0)1621 868700**



STANDARD TRIO FRAME ■ ■ [VIEW PRODUCT](#)

Please call for pricing

Our conventional all steel Trio Frame is the most popular type of climbing frame in primary schools

The design offers maximum variety with extensive climbing areas, coupled with minimum storage and operational space, together with the comparatively low cost of the unit

The Trio Frame comes complete with bracing ladders and floor fittings which enables the frame to be set in either Y or T positions

The frame is manufactured from tubular steel and powder coated as standard in blue, red and yellow, giving a durable, hardwearing and scratch resistant finish

Each of the three panels is 2064mm wide and available in four different heights:

2100mm (7')	■	Key Stage 1
2440mm (8')	■	Key Stage 1
2750mm (9')	■	Key Stage 2
3050mm (10')	■	Key Stage 2

You should be aware that some Local Authorities and schools have made a policy decision not to use mats under high apparatus whereas others have decided that mats are appropriate

If you are confused as to how to proceed, please consult afPE for guidance.

Email: enquiries@afpe.org.uk or telephone 01905 855584

afPE website is www.afpe.org.uk - Health and Safety Section, refer to 'Mats Revisited'


TRIO FRAME PANEL PATTERNS

We offer six different panel patterns as standard

The patterns shown are based on 2750mm high frames. The number of rings and bars will vary according to size

Panel patterns can be adapted to suit individual requirements


Please state your preference when ordering



1 TRIO FRAME MATS [BUY NOW](#)

TRI/001/MAT

Set of brightly coloured mats for use with our trio climbing frame which hook and loop together to secure them in place. Suitable for use when the frame is in both the "Y" and "T" position



2 OPTIONAL EXTRAS [BUY NOW](#)

Our range of linking and bridging equipment compliment the Trio Frame and increase the range of activities and experiences for pupils


- A **PBR/070/HBE** 2100mm (7') parallel bar
- C **POL/070/HBE** 2100mm (7') linking pole
- E **BEM/070/HBE** 2100mm (7') linking beam

- B **LAD/070/HBE** 2100mm (7') linking ladder
- D **LAD/070/PEG** 2100mm (7') peg ladder
- F **LAD/VTC/TRI** Vertical wall fixed ladder [Please call for pricing](#)

3 LINKING EQUIPMENT TROLLEY [BUY NOW](#)

TRL/002/LNK

Double sided storage trolley which holds up to six pieces of linking equipment, two opposite corner castors are fitted with brakes



4 INDOOR TRAVERSE WALL PANELS [BUY NOW](#)

TRA/001/PNL


1200 x 400mm panels made of 21mm plywood which have a lacquer finish making them easy to clean. Each section of panel has 10 brightly coloured holds already pre-drilled and fixed. Each set comes complete with a fixing kit. Please see page 181 for full details of wall panels. Supply only



1 CURVED TRIO FRAME [VIEW PRODUCT](#)

Please call for pricing

Three panel early years frame suitable for Key Stage 1, manufactured from tubular steel and powder coated as standard in blue, red and yellow giving a durable, hard wearing and scratch resistant finish. In closed position size is 2.1m wide x 2.56m high with a projection of 390mm from the wall






2 STANDARD WOODEN TRIO FRAME [VIEW PRODUCT](#)

(Not illustrated)

We can also offer a standard wooden Trio Frame manufactured to the same high standard as the Trio Nova Frame but with standard panels as illustrated

All Trio Nova accessories can be used on standard wooden Trio Frame

Please call for pricing



WOODEN TRIO FRAME PANEL PATTERNS

Patterns can be varied to suit individual requirements



1

1 FREESTANDING TRIO CLIMBING FRAME [BUY NOW](#)

SI/TRIO/FREE

Our freestanding climbing frame is a great option when floor or wall fixings for our fixed climbing frames cannot be achieved. The main climbing panel is 2000mm wide by 1930mm high, with two swivel panels 2135mm wide by 1370mm high. Constructed from tubular steel and finished in three very attractive durable hardwearing, scratch resistant epoxy powder paint colours. Panels will be our standard **red, yellow & blue**. Frame can be used in variable 'Y' and 'T' positions. Suitable for Key Stage 1 and 2 but with reduced challenges than other higher Key Stage 2 frames. Frame requires an area of approximately 6.4m x 4.9m during use and the stored size is 2.2m x 0.7m



1



3

[BUY NOW](#)

FREESTANDING CLIMBING FRAME COVER

TRI/001/COV

Blue flame retardant PVC cover to protect the freestanding climbing frame when in the stored position

2 FREESTANDING CLIMBING FRAME MATS [BUY NOW](#)

TRI/002/MAT

Set of brightly coloured mats for use with our freestanding trio climbing frame which hook and loop together to secure them in place. Suitable for use when frame is in 'Y' position only



2



ELECTRICALLY OPERATED CLIMBING FRAME ■ ■ ■

Please call for pricing [VIEW PRODUCT](#)

New for 2018, our electrically operated vertical lift climbing frame is designed to offer impact free walls at low level in your sports hall. This indoor climbing frame comes as a four bay unit and can be hoisted up to 2m above the floor level for storage


This climbing frame can be used in numerous positions from vertically for climbing at 90 degrees, the wheels allow use at any angle, and can also be pushed back against the wall so an incline climb is possible

With the addition of the optional rollerstands the frame can be used horizontally for many other gymnastic and physical education activities

The frames are manufactured from heavy duty flat sided oval powder coated steel and timber lacquered rungs

Comes complete with free fall safety device, and tracks are secured into pre-formed channels in the wall





1 OVERHEAD ROPE TRACKWAYS

Please call for pricing [VIEW PRODUCT](#)


Our popular rope trackway systems are designed to be installed to existing roof structures where beams are parallel to floor, otherwise steelwork will be required

The galvanised enclosed steel track with twin wheeled, all steel, trolleys and lubricated-for-life bearings, facilitate the smooth running of ropes and other accessories

Simply operated by hauling lines, the equipment stores against the wall when not in use

2 ACCESSORIES FOR ROPE TRACKWAY & ROPE FRAME UNITS

[BUY NOW](#)



A wide choice of accessories are available to provide a variety of activities and experiences, including:

- ✓ Ropes
- ✓ Knotted ropes
- ✓ Rope ladders
- ✓ Incline rope ladders
- ✓ Hand rings
- ✓ Trapeze
- ✓ Climbing rings

Planning a new hall or gymnasium?

Contact our us for technical advise or for a no obligation site visit on: **+44(0)1621 868700**

3 WALL HINGED ROPE FRAME UNITS

Please call for pricing [VIEW PRODUCT](#)


Two versions of our rope frame units are available. Either all steel construction, which is powder coated blue, offering a hardwearing attractive finish

Alternatively, a timber upright version, manufactured from first grade Douglas Fir timber, finished in clear gloss lacquer

Stores flat against wall when not in use, easily wheeled into position and locked by quick action tension device

Allows rope climbing activities where hall cannot accommodate overhead trackway

Standard size 3600mm x 3600mm, but is also available 4200mm high for Key Stage 3



1 CONVENTIONAL HINGED WINDOW LADDER FRAMES ■ ■ ■ [VIEW PRODUCT](#)

Please call for pricing

Our conventional hinged Window Ladder Frames are manufactured to the same high standards as our Super Nova and Trio Nova Frames. The timber uprights are manufactured from first grade Douglas Fir and finished in clear lacquer

Horizontal bars are aluminium, which is anodised to provide a smooth finish which will not tarnish or corrode

Fixed rings are manufactured from steel and finished with a durable hardwearing powder coat


Special lifting/wheeling devices are fitted as standard to enable children to operate them easily

The frames do not rest on their wheels so no accidental movement is possible

The frame locating bolts automatically drop into the floor plates to prevent movement and ensure no accidental floor damage when opening or closing

Slot floor plates are used to facilitate location and cope with minor building movement

Frames can be supplied in single units, linked in pairs (as illustrated) or a bank of three



2 TOP BOOM UNIT (Not illustrated) [VIEW PRODUCT](#)

Please call for pricing

A top boom unit can also be supplied with accessories, including ropes, rope ladders or hand rings



3 ACCESSORIES [BUY NOW](#)

The following accessories compliment our Window Ladder Frames and increase the range of activities and experiences:

- POL/001/LNK** 3050mm (10') aluminium pole
- BEM/001/LNK** 3050mm (10') timber balance beam
- LAD/001/LNK** 3200mm (10'6") timber ladder
- STG/001/LNK** Storage hooks for pole
- STG/002/LNK** Storage hooks for ladder or beam
- STG/006/LNK** Timber fillets 600mm long (including four expansion bolts)
- STG/009/LNK** Timber fillets 900mm long (including four expansion bolts)
- STG/012/LNK** Timber fillets 1200mm long (including four expansion bolts)

The above accessories can be stored horizontally on hooks behind frames for ease of access



We offer 8 different panel patterns as standard


The patterns shown are based on 3050mm high frames - the number of rings and bars will vary according to size

Panel patterns can be varied to suit individual requirements, and firemans poles can be incorporated

Please state your preference when ordering

Some suggested heights :

- 2440mm (8') ■ Key Stage 1
- 3050mm (10') ■ Key Stage 2
- 3600mm (12') ■ ■ Key Stage 3/4



1 WALL HINGED COUNTER BALANCED BEAM UNITS

Please call for pricing [VIEW PRODUCT](#)

- ✓ Our traditional beam units are sturdily constructed from first grade Douglas Fir and Parana Pine timber and finished in clear lacquer. Bracketry and steelwork are powder coated blue
- ✓ Easily wheeled into position on non-marking rubber tyred wheels, locked by quick action tension device
- ✓ Booms are easily operated by hauling lines
- ✓ Stores flat against wall when not in use, leaving hall/gymnasium clear of overhead obstructions
- ✓ Standard height 4720mm x 3600mm wide



2 TRAVELLING UPRIGHT COUNTER BALANCED BEAM UNIT (Not illustrated)

Please call for pricing [VIEW PRODUCT](#)

- ✓ Travelling upright counter balanced beams can be installed to existing roof structures
- ✓ Comprising wooden uprights complete with two boom units
- ✓ Standard size 4000mm wide x 5700mm high
- ✓ Sturdily constructed units from first grade Douglas Fir and Parana Pine timber, clear lacquered finish
- ✓ Booms are operated by hauling lines



3 FIXED GYMNASIUM WALL BARS [VIEW PRODUCT](#)

Timber
Aluminium

Please call for pricing for installation

Please call for pricing for installation

- ✓ Our high quality wall bars are manufactured from first grade Douglas Fir and finished in clear lacquer
- ✓ The horizontal bars are made from either anodised aluminium which will not tarnish or corrode, or from timber
- ✓ Each panel is 838mm wide and 2692mm high
- ✓ Panels are available in single or multiple sections

WBAR/TIMB/1	Single timber wall bars
WBAR/TIMB/2	Double timber wall bars
WBAR/TIMB/3	Treble timber wall bars
WBAR/ALI/1	Single aluminium wall bars
WBAR/ALI/2	Double aluminium wall bars
WBAR/ALI/3	Treble aluminium wall bars

4 FIXED GYMNASIUM WALL BARS HYGIENIC MODEL (Not illustrated)

Please call for pricing for installation [VIEW PRODUCT](#)

- ✓ As above but raised off the floor to allow for easy cleaning

WBAR/TIMB/1/H	Single timber hygienic wall bars
WBAR/TIMB/2/H	Double timber hygienic wall bars
WBAR/TIMB/3/H	Treble timber hygienic wall bars
WBAR/ALI/1/H	Single aluminium hygienic wall bars
WBAR/ALI/2/H	Double aluminium hygienic wall bars
WBAR/ALI/3/H	Treble aluminium hygienic wall bars

For installation costs please
contact our Sales Department on
+44 (0)1621 868700

1 TUBULAR PADDED BENCHES [BUY NOW](#)



Our well padded benches provide a stable base for a wide range of gymnastic activities. The safety hook fittings at each end allow benches to hook onto other portable gymnastic equipment and climbing frames

Available in three lengths with 2"/50mm balance rail

BEN/007/PAD	2100mm (7')
BEN/008/PAD	2440mm (8')
BEN/009/PAD	2750mm (9')

Can be supplied with 4"/100mm balance rail

BEN/407/PAD	2100mm (7')
BEN/408/PAD	2440mm (8')
BEN/409/PAD	2750mm (9')



2 TRADITIONAL TIMBER BENCHES [BUY NOW](#)

Our versatile traditional timber benches are an integral part of any set of gymnastic equipment. Manufactured to the highest standards, these benches come complete with a dovetailed balance rail, anti-slip rubber feet and rubber buttons to avoid scratching the top surface. Benches are available in 3 lengths, are supplied with or without hooks at one end but can also be supplied with an additional pair of hooks at the time of purchase

BEN/011/HOE	3300mm (11') secondary, hooks one end
BEN/011/NOH	3300mm (11') secondary, no hooks
BEN/089/HOE	2600mm (8'9") junior, hooks one end
BEN/089/NOH	2600mm (8'9") junior, no hooks
BEN/089/BRL	2600mm (8'9") with 100mm balance rail
BEN/060/HOE	1800mm (6') infant, hooks one end
BEN/060/NOH	1800mm (6') infant, no hooks
BEN/001/UNI	Additional pair of hooks (fitted to bench at time of purchase)

3 COLOURED PRIMARY SCHOOL TEAM BENCHES [BUY NOW](#)

Natural timber benches with a long lasting colour finish. These benches, constructed from selected pine, are colour stained with a clear varnished finish which should not chip or flake in use. Particularly suited for use in schools, the benches have non-marking rubber feet and rubber buttons on the top surface preventing damage to both the bench and floor when used inverted. A rubber faced batten is provided at one end to enable the bench to be linked to other equipment. Benches are 340mm high x 240mm wide at the top, 330mm wide at the feet. Suitable for Key Stage 1 and 2

BCH/004/RED	2m long red bench
BCH/004/GRE	2m long green bench
BCH/004/BLU	2m long blue bench
BCH/004/YLW	2m long yellow bench
BCH/004/SET	All four 2m long benches
BCH/005/RED	2.5m long red bench
BCH/005/GRE	2.5m long green bench
BCH/005/BLU	2.5m long blue bench
BCH/005/YLW	2.5m long yellow bench
BCH/005/SET	All four 2.5m long benches



4 AGILITY PLANKS & SLIDES

Universal Services manufacture a comprehensive range of quality timber planks and slides for a multitude of gymnastic applications. Available in a number of different lengths, planks can either be fitted with timber blocks or hooks

Planks with blocks both ends: [BUY NOW](#)

PLK/080/BBE	2440mm (8') plank
PLK/070/BBE	2100mm (7') plank
PLK/060/BBE	1800mm (6') plank
PPL/080/BBE	2440mm (8') padded plank
PPL/070/BBE	2100mm (7') padded plank
PPL/060/BBE	1800mm (6') padded plank

SPL/080/BBE	2440mm (8') storming plank
SPL/070/BBE	2100mm (7') storming plank
SPL/060/BBE	1800mm (6') storming plank

BEN/001/UNI Pair of additional hooks

Slides: [BUY NOW](#)

SLD/080/STD	2440mm (8') slide, blocks both ends
SLD/070/STD	2100mm (7') slide, blocks both ends




Planks with hooks one end: [BUY NOW](#)

PLK/089/HOE 2745mm (9') plank with side rails

PLK/080/HOE	2440mm (8') plank
PLK/070/HOE	2100mm (7') plank
PLK/060/HOE	1800mm (6') plank

PPL/080/HOE	2440mm (8') padded plank
PPL/070/HOE	2100mm (7') padded plank
PPL/060/HOE	1800mm (6') padded plank



1 SPRINGBOARDS (Not suitable for junior use)

A SPR/001/STD

BUY NOW

Made from specially formed hard plywood, complete with red carpet covering. Board dimension is 1200 x 600mm, height of top is 15cm. Meets the requirements of BS EN 913

B SPR/002/STD

Suitable for training or competitions, this springboard is made from specially formed hard plywood covered with microporous rubber and carpet lining. The extra rubber gives added elasticity. Board dimension is 1200 x 600mm, height of top is 21.5cm. Meets the requirements of BS EN 913

C SPR/003/STD

High performance springboard made from specially formed hard plywood covered with microporous rubber and carpet lining and is equipped with two cone shaped steel springs increasing speed and energy of jump. Board dimension is 1200 x 600mm, height of top is 21.5cm. Meets the requirements of BS EN 913

2 SPRINGBOARDS (Suitable for junior use)

SPR/004/STD

BUY NOW

Suitable for junior use. A great carpet covered springboard suitable for junior use. Maximum user weight of 40kg

3 VAULTING BOXES **BUY NOW**

Traditional craftsman constructed vaulting boxes are manufactured in five sections to BS EN 916. Finished with high quality padded hide covered top. Wheeling gear for ease of transport can be fitted at time of purchase. Fully interlocking corner blocks fitted to each section ensure vaulting boxes are secure and rigid during use

- A **VBX/034/STD** 1015mm (3'4") high
- A **VBX/034/WGR** 1015mm (3'4") high with wheeling gear
- B **VBX/042/STD** 1270mm (4'2") high
- B **VBX/042/WGR** 1270mm (4'2") high with wheeling gear



4 VAULTING HORSES & BUCKS

Our traditionally designed horses and bucks are manufactured to BS EN 916 and upholstered in selected hide. All units have easily adjustable legs, and horses have removable pommels. Factory fitted castors can be added for ease of transport

A Square End Model **BUY NOW**

- VHS/001/STD** Square end vaulting horse complete with pommels
 - VHS/001/WHL** Square end vaulting horse with pommels and wheels
- Height adjustable from 915mm to 1350mm

B Drop Neck Model **BUY NOW**

- VHS/002/DRP** Drop neck vaulting horse complete with pommels
 - VHS/002/WHL** Drop neck vaulting horse with pommels and wheels
- Height adjustable from 915mm to 1350mm



5 VAULTING BUCK **BUY NOW**

- VBK/001/STD** Vaulting buck
 - VBK/001/WHL** Vaulting buck with wheels
- Height adjustable from 1020mm to 1630mm





1 BALANCE BARS [BUY NOW](#)

Quality 65mm (2.5") wide hardwood bar which can be adjusted to 165mm or 245mm high

BAL/002/BAR 2.44m (8') long carpet covered (as illustrated)

BAL/003/BAR 2.44m (8') long (not illustrated)

2 BALANCE BEAMS [BUY NOW](#)

Both our floor and 600mm (2') high model balance beams are covered in hard wearing carpet. Support legs are finished in scratch resistant epoxy powder paint

BEM/001/CPT 3650mm (12') long floor model beam

BEM/002/CPT 3650mm (12') long x 600mm (2') high beam



3 NESTING TABLES

Our most popular set of agility apparatus in Primary schools. Lightweight, easily handled by young children, yet strong. Frames finished in a range of scratch resistant powder coated colours. Padded tops are manufactured using flame retardant vinyl and combustion modified foam. Available individually or in sets

Individuals: [BUY NOW](#)

TBL/012/STD	300mm high (12")
TBL/018/STD	450mm high (18")
TBL/024/STD	600mm high (24")
TBL/030/STD	760mm high (30")
TBL/036/STD	914mm high (36")
TBL/042/STD	1050mm high (42")

Sets: [BUY NOW](#)

TBL/001/SET	300, 450, 600mm - Set A
TBL/002/SET	450, 600, 760mm - Set B
TBL/003/SET	600, 760, 914mm - Set C
TBL/004/SET	760, 914, 1050mm - Set D
TBL/005/SET	300, 450, 600, 760mm - Set E

TBL/006/SET	450, 600, 760, 914mm - Set F
TBL/007/SET	600, 760, 914, 1050mm - Set G
TBL/008/SET	300, 450, 600, 760, 914mm - Set H
TBL/009/SET	450, 600, 760, 914, 1050mm - Set I
TBL/010/SET	300, 450, 600, 760, 914, 1050mm - Set J

4 MOVEMENT TABLES [BUY NOW](#)


Our range of versatile circular movement tables are suitable for a wide range of gymnastic skills. Movement tables come in three sizes, are lightweight, yet strong. Padded tops are manufactured using flame retardant vinyl and combustion modified foam

TBL/018/RND 900mm (3') dia. x 450mm (18") high

TBL/032/RND 900mm (3') dia. x 800mm (32") high

TBL/432/RND 1200mm (4') dia. x 800mm (32") high





1 LINKING & BRIDGING APPARATUS

Our range of portable linking apparatus can easily be linked to our Trio climbing frames, nesting tables, movement tables, agility stools and trestles to provide a wide range of challenging gymnastic activities

All linking equipment is fitted with safety hooks and finished in attractive scratch resistant epoxy powder coating. Linking equipment can be stored neatly on wall brackets in halls or gymnasiums

A Parallel Bars: **BUY NOW**

PBR/060/HBE 1800mm (6') with hooks both ends
PBR/070/HBE 2100mm (7') with hooks both ends
PBR/080/HBE 2440mm (8') with hooks both ends

B Ladders: **BUY NOW**

LAD/060/HBE 1800mm (6') with hooks both ends
LAD/070/HBE 2100mm (7') with hooks both ends
LAD/080/HBE 2440mm (8') with hooks both ends

C Poles: **BUY NOW**

POL/060/HBE 1800mm (6') with hooks both ends
POL/070/HBE 2100mm (7') with hooks both ends
POL/080/HBE 2440mm (8') with hooks both ends

D Peg Ladders: **BUY NOW**

LAD/060/PEG 1800mm (6') with hooks one end
LAD/070/PEG 2100mm (7') with hooks one end
LAD/080/PEG 2440mm (8') with hooks one end

E Balance Beams (timber): **BUY NOW**

BEM/060/HBE 1800mm (6') with hooks both ends
BEM/070/HBE 2100mm (7') with hooks both ends
BEM/080/HBE 2440mm (8') with hooks both ends



Locking Device Feature

Unique 'J' bolt clamp fixing ensures safe attachment to 1" (25mm) diameter bar

2 LINKING EQUIPMENT TROLLEY **BUY NOW**

TRL/002/LNK

Double sided storage trolley which holds up to six pieces of linking equipment, two opposite corner castors are fitted with brakes




3 AGILITY STOOLS

Our robust range of agility stools provide a stable base to enable their use with linking equipment. Stools are finished in attractive epoxy powder scratch resistant colours. The thick padded tops are flame retardant using combustion modified foam. Available in three heights with either hide, carpet or vinyl covers

Hide: **STL/026/HDE** 760mm (2'6") high **BUY NOW**
STL/030/HDE 900mm (3') high
STL/036/HDE 1050mm (3'6") high

PVC: **STL/026/PVC** 760mm (2'6") high **BUY NOW**
STL/030/PVC 900mm (3') high
STL/036/PVC 1050mm (3'6") high

Carpet: **STL/026/CPT** 760mm (2'6") high **BUY NOW**
STL/030/CPT 900mm (3') high
STL/036/CPT 1050mm (3'6") high



4 TRESTLES **BUY NOW**

Our range of strong robust trestles provide an ideal base for use with linking apparatus. Available in three different heights and three attractive scratch resistant epoxy powder colours. Can be stored flat against wall using storage strap when not in use

TRE/030/STD 900mm (3') trestle
TRE/040/STD 1220mm (4') trestle
TRE/050/STD 1500mm (5') trestle

STG/001/UNI


Wall storage strap complete with timber fillet and fixing bolts for storage of up-to two trestles (supply only)

1 PRIMARY SCHOOL EQUIPMENT PACK [BUY NOW](#)

PRI/001/PAK

A great value primary equipment pack consisting of:

- ✓ 1 x 450mm high nesting table
- ✓ 1 x 600mm high nesting table
- ✓ 1 x 760mm high nesting table
- ✓ 1 x 914mm high nesting table
- ✓ 1 x 900mm high trestle
- ✓ 1 x 1220mm high trestle
- ✓ 1 x 2100mm long padded plank, blocks both ends
- ✓ 1 x 2100mm long plank, blocks both ends
- ✓ 1 x 2100mm long balance beam, hooks both ends
- ✓ 1 x 2100mm long storming plank, blocks both ends
- ✓ 1 x 2100mm long ladder, hooks both ends
- ✓ 1 x 2100mm long pole, hooks both ends
- ✓ 1 x linking equipment storage trolley



2 PRIMARY SCHOOL EQUIPMENT PACK WITH MATS [BUY NOW](#)

PRI/002/PAK

A great value primary equipment pack consisting of:

- ✓ 1 x 300mm high nesting table
- ✓ 1 x 450mm high nesting table
- ✓ 1 x 600mm high nesting table
- ✓ 1 x 760mm high nesting table
- ✓ 1 x 914mm high nesting table
- ✓ 1 x 1050mm high nesting table
- ✓ 1 x 900mm high trestle
- ✓ 1 x 1220mm high trestle
- ✓ 1 x 2100mm long padded plank, blocks both ends
- ✓ 1 x 2100mm long plank, blocks both ends
- ✓ 1 x 2100mm long balance beam, hooks both ends
- ✓ 1 x 2100mm long storming plank, blocks both ends
- ✓ 1 x 2100mm long ladder, hooks both ends
- ✓ 1 x 2100mm long pole, hooks both ends
- ✓ 14 x 1200 x 900 x 25mm blended gym mats
- ✓ 1 x 1200 x 900mm heavy duty mat trolley
- ✓ 1 x linking equipment storage trolley

3 DELUXE PRIMARY SCHOOL EQUIPMENT PACK [BUY NOW](#)

PRI/003/PAK

This 16 piece equipment pack is great value for money, consisting of:

- ✓ 1 x 300mm high nesting table
- ✓ 1 x 450mm high nesting table
- ✓ 1 x 600mm high nesting table
- ✓ 1 x 760mm high nesting table
- ✓ 1 x 914mm high nesting table
- ✓ 1 x 1050mm high nesting table
- ✓ 1 x 900mm high trestle
- ✓ 1 x 1220mm high trestle
- ✓ 1 x 2100mm long ladder, hooks both ends
- ✓ 1 x 2100mm long pole, hooks both ends
- ✓ 1 x 2100mm long plank, blocks both ends
- ✓ 1 x 2100mm long storming plank, blocks both ends
- ✓ 1 x 2100mm long balance beam, hooks both ends
- ✓ 1 x 2600mm long timber balance bench, hooks one end
- ✓ 1 x 900mm diameter x 450mm high movement table
- ✓ 1 x linking equipment storage trolley



1 BAR BOXES - with padded centre section **BUY NOW**

Our bar boxes feature a unique padded centre platform. Easily converts to form two pieces of low level equipment. Wheeling gear for ease of transport can be fitted at time of purchase. Bar boxes are available in either two sections 900mm (3') high or three sections 1000mm (3'6") high



BBX/030/HDE

2 section, hide top with padded platform

BBX/930/HDE

2 section, hide top, padded platform and wheeling device

BBX/036/HDE

3 section, hide top with padded platform


BBX/936/HDE

3 section, hide top, padded platform and wheeling device

2 GYMNASTICS TRIANGLE **BUY NOW**

GYM/001/TRI

A playing/training device, manufactured from plywood. One side comprises of a net frame and holes and bars are on the other two sides. Either end are holes designed for getting inside



3 FLEX GYMNASTIC MATS **BUY NOW**

These mats are durable, using the highest quality materials and the latest in manufacturing processes. High-impact cross-linked polyethylene and EVA foams provide great shock absorption and durability. Mats are covered in heavy-duty carpet that's durable while providing a great soft feel. Available in blue, red, black and purple – please specify colour when ordering

GYM/001/FLX* 1.8m wide x 12.8m long x 35mm thick mat

GYM/002/FLX* 1.8m wide x 6.4m long x 35mm thick mat

4 INFLATABLE AIR TUMBLE TRACK **BUY NOW**

Inflatable air tumble track which is compact when put in carrying bag, includes an electric motor for inflation. The air track has a dynamic effect somewhere between a tumble track and a trampoline. It can be used for recreational and competitive gymnastics. The inflatable tumble track allows gymnasts to perform skills in a consumer friendly manner and within a short period of time, all can achieve a higher skill level and with greater technical accuracy. The Air Track can also be used for warming up and strength training sessions. Coaches can easily help any gymnast during difficult moves by standing on the track. During training sessions, fewer injuries will occur using the Air Track compared to a standard tumble track



- GYM/001/TRK*** 6m x 3m x 0.5m track with 1.5bhp motor
- GYM/002/TRK*** 9m x 3m x 0.5m track with 1.5bhp motor
- GYM/003/TRK*** 12m x 3m x 0.5m track with 1.5bhp motor
- GYM/004/TRK*** 15m x 3m x 0.5m track with 2.0bhp motor
- GYM/005/TRK*** 18m x 3m x 0.5m track with 2.0bhp motor



1 PARALLEL BARS [BUY NOW](#)


PBR/001/GYM

Parallel bars for training with foldable feet. Dimensions on the floor 2.55 x 2m (feet open) - 2.55 x 0.90m (feet folded). Integrated transport trolley. Very easy storage

2 CENTRAL MAT [BUY NOW](#)

PBR/001/MAT

Full FIG competition and school models also available



3 ASYMMETRIC BARS WITH CABLES [BUY NOW](#)

ASY/001/GYM

Asymmetric bars for training. Cable-system with the following features: Height adjustment of the hand rails (uprights graduated in cm) by sliding tubes, pawls and tightening wheels. Lower handrail adjustable from 1.4 to 1.70m, upper from 2.15 to 2.45m. Immediate assembly and dismantling thanks to fast tensioners. Instant width adjustment of handrails from 0.70 to 1.8m by graduated adjusters. Round handrails made of wood-covered fibreglass



4 BEAM WITH STANDARD FEET [BUY NOW](#)

BEN/001/GYM

Beam for competition, non-deformable aluminium body, anti-slip cover, 5m long. Height adjustable from 0.90 to 1.40m by a fast system of pawls and angular tightening wheels avoiding any vibration. Engraved graduation anti-slip pads

5 POMMEL HORSES [BUY NOW](#)

POM/001/GYM

Pommel horse with standard legs and body covered with real leather. Pommels made of plywood with aluminium base, instantaneous width adjustment using an eccentric lever. Adjustable height from 0.90 to 1.40m by a fast system of pawls and angled tightening wheels avoiding any vibration. Engraved graduation and anti-slip pads. System for floor anchorage

EQUIPMENT FOR ALL DISCIPLINES AVAILABLE, ALONG WITH TRAINING EQUIPMENT

Please contact our Sales Department on: +44 (0)1621 868700 for prices

6 RING FRAME FOR COMPETITION [BUY NOW](#)

RIN/001/GYM



Constructed in squared tubes, it has double cables and a system of fast tensioners. Delivered with rings pre-adjusted at the factory and hand pole to stabilise the ring. Height adjustment of the hand rails (uprights graduated in cm) by sliding tubes



7 GYMNASTIC ANCHORS [BUY NOW](#)

Gymnastic floor anchors are manufactured from stainless steel with integral dust covers

GYM/001/ANC Standard floor
GYM/002/ANC Semi-sprung floor



Please visit our website for gymnastic anchor technical information sheets - [CLICK HERE](#)



1 COMPLETE SET [BUY NOW](#)
JFJ/009

The Jump for Joy Sport range is ideal for both teachers and aspiring gymnasts at Key Stages 1 and 2. Designed in association with British Gymnastics, it offers a complete activity programme for general gymnastics allowing children to explore motor development and help them understand the need for body preparation and fitness



2A



2B

2 LARGE & SMALL WEDGES [BUY NOW](#)

Designed to assist in backward and forward rolls. The feeler strips guide hand position

- | | | |
|----------|----------------|----------------------------|
| A | JFJ/002 | Large - 762 x 1200 x 610mm |
| B | JFJ/003 | Small - 457 x 914 x 457mm |

3 CUBOID [BUY NOW](#)

JFJ/004

Used to provide support for handstand position. Hook and loop flaps enable apparatus to be joined together, thus reducing the risk of dangerous gaps and allowing the Cuboid to be used to extend other items in the range. 762 x 762 x 610mm

4 LARGE & SMALL BRIDGE [BUY NOW](#)

Can be used to lie back on and kick over. The two bridges combined provide a port hole to wriggle through

- | | |
|----------------|---------------------------|
| JFJ/005 | Large - 508 x 914 x 813mm |
| JFJ/006 | Small - 508 x 914 x 483mm |



5 BARREL [BUY NOW](#)

JFJ/007

Children love the sensation of rolling. This apparatus is confidence building and promotes spatial awareness. 1220 x 965mm diameter



6

6 SOFT BOX [BUY NOW](#)

JFJ/008

This sturdy unit is ideal for traditional vaulting activities and provides jumping platforms and landing areas. The three 305mm high tiers separate for varied conditioning activities. 915 x 915 x 915mm



6

Our premier quality combustion modified Safeguard foam is wrapped within a fire resistant cotton fabric which is essential to comply with the sports Council fire test SCFM87 using ignition source 5. A third barrier is added in the form of a colourful tough PVC-coated nylon covering which is supple and easily cleaned.